




Date	2/9/2024 9:10
File name	Memory#1
Model	V-550
Serial No.	C02951145
Band width	1.0 nm
Response	Fast
Measurement range	650 - 230 nm
Data pitch	0.5nm
Scanning speed	40nm/min
Sample ID	1
No. of cycle	1
Sample name	
Operator	Valer
Comment	

No.	nm	Abs	No.	nm	Abs	No.	nm	Abs
1	637.5	0.20694	2	535.5	0.40126	3	452.5	1.06214
4	278	0.61667						




Date	2/9/2024 9:25
File name	Memory#2
Model	V-550
Serial No.	C02951145
Band width	1.0 nm
Response	Fast
Measurement range	366 - 356 nm
Data pitch	0.5nm
Scanning speed	40nm/min
Sample ID	3
No. of cycle	1
Sample name	
Operator	Valer
Comment	

No.	nm	Abs
1	360	0.99253




Date	2/9/2024 9:25
File name	Memory#2
Model	V-550
Serial No.	C02951145
Band width	1.0 nm
Response	Fast
Measurement range	366 - 356 nm
Data pitch	0.5nm
Scanning speed	40nm/min
Sample ID	3
No. of cycle	1
Sample name	
Operator	Valer
Comment	

No.	nm	Abs
1	360	0.99253



Date	2/9/2024 9:30
File name	Memory#4
Model	V-550
Serial No.	C02951145
Band width	1.0 nm
Response	Fast
Measurement range	366 - 356 nm
Data pitch	0.5nm
Scanning speed	40nm/min
Sample ID	5
No. of cycle	1
Sample name	
Operator	Valer
Comment	

No.	nm	Abs
1	360	0.99571



Date	2/9/2024 9:54
File name	Memory#5
Model	V-550
Serial No.	C02951145
Band width	1.0 nm
Response	Fast
Measurement range	370 - 350 nm
Data pitch	0.5nm
Scanning speed	40nm/min
Sample ID	1
No. of cycle	1
Sample name	
Operator	Valer
Comment	

Base 1	Base 2	Peak	Height	FWHM
353.50	368.50	360.00	0.8796	2.3116

Model	V-550
Serial No.	C02951145
Date/Time	2/9/2024 10:06
Photometric Mode	Abs
Band Width	1.0 nm
Response	Medium


No.	440.0nm / Abs
BLK	-0.0042
1	0.3408
2	1.0804
3	0.5103

Model	V-550
Serial No.	C02951145
Date/Time	2/9/2024 10:41
Photometric Mode	Abs
Band Width	1.0 nm
Response	Medium

No.	440.0nm / Abs
5	0.2039
6	0.2041
7	0.2039


Model	V-550
Serial No.	C02951145
Date/Time	2/9/2024 10:50
Photometric Mode	Abs
Band Width	1.0 nm
Response	Medium

No.	440.0nm / Abs
8	0.3420
9	1.0775
10	0.5105



Date	2/9/2024 11:07
File name	Memory#6
Model	V-550
Serial No.	C02951145
Band width	1.0 nm
Response	Slow
Measurement range	0 - 900 sec
Data pitch	5sec
Monitor wavelength	250 nm
Sample ID	2
No. of cycle	1
Sample name	
Operator	Valer
Comment	

No.	sec	Abs	No.	sec	Abs
1	215	2E-005	2	865	-0.00016



Date	2/9/2024 12:03
File name	Memory#7
Model	V-550
Serial No.	C02951145
Band width	1.0 nm
Response	Medium
Measurement range	900 - 200 nm
Data pitch	1nm
Scanning speed	40nm/min
Sample ID	2
No. of cycle	1
Sample name	
Operator	Valer
Comment	

No.	nm	Abs	No.	nm	Abs
1	711	-0.00198	2	364	-0.00093

Model	V-550
Serial No.	C02951145
Date/Time	2/9/2024 12:12
Photometric Mode	%T
Band Width	1.0 nm
Response	Medium

No.	360.0nm / %T
11	0.10